



# **About Us**

**ajar**, a name that means "door opening," finds its roots in the heart of the United Arab Emirates. Born from a vision to create a world-class ironmongery brand originating from the UAE and extending its reach across the globe, our journey is one of passion, perseverance, and excellence.

Our story began with inspiration drawn from Dubai's visionary leadership, which taught us that "nothing is impossible." This inspiration ignited our passion and determination to establish a brand that would not only meet but exceed the highest standards of quality and innovation.

With over 20 years of experience in the ironmongery industry, including 17 years of dedicated service in the UAE market, we recognized that the time was ripe to venture into new horizons. Our goal was clear: to offer a comprehensive solution under one roof, setting new benchmarks in the industry.

Our commitment to quality transcends the surface appeal of our products. We understand that ironmongery must endure the test of time, delivering unwavering performance and reliability. As a result, we meticulously curate each item in our catalog, ensuring it meets the most stringent standards of durability, functionality, and security.

Today, **ajar** stands as a testament to our journey—an embodiment of our passion, commitment, and the enduring spirit that fuels us. We are proud to be pioneers, and we invite you to join us as we continue to redefine the boundaries of the ironmongery industry.







At ajar, our mission is to lead the ironmongery industry with an unwavering commitment to excellence. We strive to provide the highest quality products and services that seamlessly blend functionality, innovation, and aesthetic appeal. We are dedicated to offering a customer-centric experience, where each client is a partner in our journey. Our goal is to transform spaces, creating environments that inspire, enrich, and elevate the lives of those who experience them. With a global reach and a local touch, we aim to make high-quality ironmongery accessible to architects, contractors, interior designers, and homeowners alike. At ajar, we believe in the art of elevation, where doors open to quality, innovation, and the creation of beautiful, enduring spaces.

**CERTIFICATE QMS** 

in

۰

विव

أدارة

۰

OMS

## CERTIFICATE OF CONSTAN OF PERFORMANCE

الجودة

CE

Polid this

CERTIFICATE

Certificate of Registration



This is to certify that the Quality Management System of

#### JADEED AJAR GENERAL TRADING L.L.C

P.O.Box No: 235667, No.13, Aswaaq Warehouse, Industrial Area-5, Al Qusais, Dubai, United Arab Emirates.

Has been independently assessed and is compliant with the requirements of

### ISO 9001:2015

This Certificate is applicable to the following product or services ranges:

Door Hardware and Furniture Fittings.

#### CERTIFICATE NO: AE 1000036/01/Q

Date of this Certificate 02 OCT 2023 Date of Initial Registration 02 OCT 2023 Date of Certificate Expiry 01 OCT 2024 Re-certification Due 01 OCT 2026

Director









#### **LEMS QUALITY & STANDARDIZATION CERTIFICATES ISSUING SERVICES**

www.lenscert.com
Accreditation Service For Certifying Bodies LLC (ASCB)
8 The Green, Dover, DE, 19901, United States,

ion service for certification bodies, LLC (ASCB) has assessed LEMS as a certifying body for compliance with 180 17921;2915 conformity assessment. This certificate can be verified on www.lemscert.com

intertek

#### FICATE OF CONSTANCY RFORMANCE

tion (EU) No 305/2011 of the European Parliament and of the Council of 9 Son Products Regulation or CPR), this certificate applies to the construction

Policy Aus brooker Districting Roland Heine












# INDEX (Catalogue Overview)

1	Lever Handle
2	Knob Handle
3	Pull Handle
4	Hinges
5	Locking Devices
6	Europrofile Cylinder
7	Master Key
8	Panic exit
9	Door Controls
10	Accessories
11	Notes

# NOTE:

- Specific Design available upon request.
- We reserve the right to change specification and products without prior notice.

# Lever Handle





## Lever Handle

Product code: 7038 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 

Product Code: 7039 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



**Satin Brass** 



**Matt Black** 



**Antique Brass** 



Product Code: 7041 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 







**Matt Black** 



**Antique Brass** 

Product Code: 7042 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 7043 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 

Product Code: 7044 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 7075
Lever Handle on Rose with
Europrofile Cylinder Escutcheons.





**Matt Chrome** 







**Matt Black** 



**Antique Brass** 

Product Code: 7076 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 7085 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 







**Satin Brass** 

**Matt Black** 

**Antique Brass** 

Product Code: 7094 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 







Satin Brass

**Matt Black** 

**Antique Brass** 



Product Code: 7098 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 







**Matt Black** 



**Antique Brass** 

Product Code: 8000 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 8001 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 

Product Code: 8008 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 8010 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 

Product Code: 8011 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 8016 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 

Product Code: 8018 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 8020 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 

Product Code: 8021 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 8026 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 







Satin Brass

**Matt Black** 

**Antique Brass** 

Product Code: 8027 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 







**Satin Brass** 

**Matt Black** 

**Antique Brass** 



Product Code: 8028 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



**Satin Brass** 



**Matt Black** 



**Antique Brass** 

Product Code: 8033 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 8034 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 

Product Code: 8035 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 8036 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 

Product Code: 8037 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 8038 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



**Satin Brass** 



**Matt Black** 



**Antique Brass** 

Product Code: 8039 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 8041 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



**Satin Brass** 



**Matt Black** 



**Antique Brass** 

Product Code: 8042 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 8047 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 

Product Code: 8050 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





**Matt Chrome** 



Satin Brass



**Matt Black** 



**Antique Brass** 



Product Code: 101 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Steainless Steel



Satin Nickel



**Matt Black** 



**Satin Brass** 

Product Code: 102 Lever Handle on Rose with

Europrofile Cylinder Escutcheons.





Satin Stainless Steel



Satin Nickel



**Matt Black** 



Satin Brass



Product Code: 103 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Steainless Steel



Satin Nickel



**Matt Black** 



Satin Brass

Product Code: 104

Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Stainless Steel



Satin Nickel



**Matt Black** 



Satin Brass



Product Code: 106
Lever Handle on Rose with
Europrofile Cylinder Escutcheons.





Satin Steainless Steel



Satin Nickel



**Matt Black** 



Satin Brass

Product Code: 107

Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Stainless Steel



Satin Nickel



**Matt Black** 



Satin Brass



Product Code: 108 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Steainless Steel



Satin Nickel



**Matt Black** 



Satin Brass

Product Code: 109 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Stainless Steel



Satin Nickel



**Matt Black** 



Satin Brass



Product Code: 110 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Steainless Steel



Satin Nickel



**Matt Black** 



Satin Brass

Product Code: 112

Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Stainless Steel



Satin Nickel



**Matt Black** 



Satin Brass



Product Code: 113
Lever Handle on Rose with
Europrofile Cylinder Escutcheons.



Satin Steainless Steel



Satin Nickel



**Matt Black** 



**Satin Brass** 

Product Code: 114 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Stainless Steel



Satin Nickel



**Matt Black** 



Satin Brass



Product Code: 116
Lever Handle on Rose with
Europrofile Cylinder Escutcheons.





Satin Steainless Steel



Satin Nickel



**Matt Black** 



**Satin Brass** 

Product Code: 117

Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Stainless Steel



Satin Nickel



**Matt Black** 



Satin Brass



Product Code: 118 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Steainless Steel



Satin Nickel



**Matt Black** 



Satin Brass

Product Code: 119 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Stainless Steel



Satin Nickel



**Matt Black** 



Satin Brass



**Product Code: 120** Lever Handle on Rose with **Europrofile Cylinder Escutcheons.** 





Satin Steainless Steel







**Matt Black** 

Satin Brass

**Product Code: 121** 

Lever Handle on Rose with **Europrofile Cylinder Escutcheons.** 





Satin Stainless Steel







Satin Nickel

**Matt Black** 

Satin Brass



Product Code: 155
Lever Handle on Rose with
Europrofile Cylinder Escutcheons.





Satin Steainless Steel



Satin Nickel



**Matt Black** 



**Satin Brass** 

Product Code: 206 Lever Handle on Rose with

Europrofile Cylinder Escutcheons.





Satin Stainless Steel



Satin Nickel



**Matt Black** 



Satin Brass



Product Code: 207 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Stainless Steel







Satin Nickel

**Matt Black** 

Satin Brass

Product Code: 208 Lever Handle on Rose with Europrofile Cylinder Escutcheons.





Satin Stainless Steel







Satin Nickel

**Matt Black** 

Satin Brass



Product Code: 209
Lever Handle on Rose with
Europrofile Cylinder Escutcheons.





Satin Stainless Steel







Satin Nickel

**Matt Black** 

Satin Brass

**Product Code: RESC06001SSS** 

Circular euro profile cylinder escutcheons.



**Matt Chrome** 



Satin Brass



Satin Black



**Antique Brass** 



### **Escutcheons**

Product Code: SQESC06002SSS Square euro profile cylinder escutcheons.



**Matt Chrome** 



**Satin Brass** 



Satin Black



**Antique Brass** 

Product Code: NESC06302SSS Narrow euro profile cylinder escutcheons.



**Matt Chrome** 




**Satin Brass** 



Satin Black



## **Knob Handle**





#### **Knob Handle**

Product Code: 7064 Knob Handle on Rose with Round Escutceons.



**Matt Chrome** 



Satin Brass



Satin Black



**Antique Brass** 

Product Code: KNH06122ESC7SSS Knob Handle on Rose with Round Escutceons. Product Code: KNH06123ESCSSS Knob Handle on Rose with Round Escutceons. Product Code: KNH06124ESCSSS Knob Handle on Rose with Round Escutceons.



Satin Stainless Steel



Satin Stainless Steel



Satin Stainless Steel

# Pull Handle





### Pull Handle



Item Code	Dia	C/C	Finish
PH06507BB4008025SSS	25	400mm	SSS
PH06507BB8008025SSS	25	800mm	SSS



Item Code	Dia	C/C	Finish
PH06504BB3006019SSS	19mm	300mm	SSS
PH06503SS3008025SSS	25mm	300mm	SSS





	Item Code	Dia	C/C	Finish
	PH06503SS3006019SSS	19mm	300mm	SSS
-	PH06503SS3006025SSS	25mm	300mm	SSS
•	PH06504BB3008025SSS	25mm	300mm	SSS



X	Item Code	Dia	C/C	Finish
	PH06501SS3008025SSS	25mm	300mm	SSS
	PH06501SS6008025SSS	25mm	600mm	SSS
		:		A

www.ajar-me.com





Item Code	Dia	C/C	Finish	
PH06505BB3008025SSS	25mm	300mm	SSS	
PH06505SS3008025SSS	25mm	300mm	SSS	



Item Code	Dia	C/C	Curve	Finish
PH06211BB20025SSS	25mm	200mm	175mm	SSS





				1
Item Code	Dia	C/C	Curve	Finish
PH06511BB20025SSS	25mm	200mm	194mm	SSS



Item Code	Dia	C/C	Length	Finish
PH06240BB40025SSS	25mm	400mm	600mm	SSS





Item Code	Dia	C/C	Length	Finish	
PH06266BB35038SSS	38mm	350mm	475mm	SSS	



Item Code	Dia	C/C	Length	Finish
PH06510BB55025SSS	25mm	550mm	610mm	SSS





Item Code	Size	C/C	Finish	
PH06509BB40080SSS	25X25mm	400mm	SSS	

# **Grab Bar**



Item Code	Dia	C/C	Finish
GB10RRSS	35mm	600mm	SSS

www.ajar-me.com



### **FHC Diamond Cabinet Pull**



Item Code	Material	
FHCD01001SSS	SSS	

#### **FHC Cabinet Pull**



Item Code	Material
FHCR01001SSS	SSS

## **Euro Profile Cylinder Pull**



Item Code	Material	
CYLP01001SSS	SSS	

### Blank Pull



Item Code	Material		
BLKP01001SSS	SSS		

# Hinges





#### **Door Hinges - Subdivision**

The hinges in this catalogue are subdivided into the following groups:

#### **Drill-In Hinges**

Wing parts and frame parts for interior doors Drill-in hinges for interior and front doors Recessed hinges for front doors

#### **Butt Hinges**


Butt hinges for interior and front doors
Drill-in hinges and butt hinges
Spring hinges for interior doors
Double action spring hinges for interior doors
Concealed mortice hinges
Butt hinges for architectural doors

The section of Drill-in hinges and recessed hinges includes all door hinges where components are drilled or recessed into door panels and door frames.


The section Frame and wing parts contains individual components of door hinges, where only the combination thereof make up a complete door hinge. 2-piece and 3-piece frame and wing parts can be combined into door hinges for steel and for wooden frames.

Butt hinges are not fixed in the door frame or door panel, they are screwed onto the door structure.

Concealed mortice hinges are mounted so that they are not visible from outside when the door is closed.



**Concealed Mortice Hing** 




**Butt Hing** 



#### **Mounting Situation**

The mounting situation of a door includes the door rebate, the frame material, the frame type as well as the opening direction of the door.

The difference between the door rebates is explained in the following illustrations.





The door panels are itted to a long edge of the frame with hinged doors. The pivot direction determines left or right hand doors. It is important, on which side the door is itted. When choosing a door hinge, the pivot direction of the door must be considered, as not all door hinges can be used on the left and right hand side.

#### Door Mounting - DIN left or DIN right

The pivot direction determines left or right hand doors. The door direction or side deinition according to DIN 107 is determined as follows:

Visible position of the door hinges on the left = DIN left Visible position of the door hinges on the right = DIN right


#### **Hinge Reference Line**

The hinge reference line is an imaginary line, running parallel with the upper frame rebate. The distance between the hinge reference line and the upper frame rebate determines the position of the hinge. It is always illustrated as a dash-dot-dot line. The following illustration shows the hinge reference line according to DIN 18101.


The hinge reference line is independent from the hinge type and manufacturer. The distance of the hinge reference line of the upper door hinge to the frame rebate is always 241 ‡1 mm.

The distance between the upper and lower door hinge depends on the door height. For example, on a door of 2.000 mm height, the distance between both hinge reference lines is 1.435 +0.5 mm.

If the door panel is itted with 3 hinges, the distance between the upper and centre door hinge reference line is  $350 \pm 0.1$  mm.



- ! DIN left
- " Hinges visible on the left hand side
- § DIN right
- \$ Hinges visible on the right hand side



!Reference edge frame rebate " Hinge reference line

Wall openings for doors
(block work standard
dimensions in accordance
with DIN 18100)
Height in mm

 1625	1060
 1750	1185
 1875	1310
 2,000	1435
 2125	1435
 2250	1685
 2375	1810
 2,500	1935
 2625	2060
 2750	2185

www.ajar-me.com



#### Hinges



## **Ball Bearing Butt Hinge**





Area of application:	For wooden frames, for flush interior doors and metal doors with Machine Screws
Material:	Stainless steel
Door weight:	Upto 180 kg
Bearing:	With fixed pin, knuckle with two ball bearings
Mounting:	For DIN left and DIN right hand use
Standard:	Certified in compliance with DIN 1935:2002

	Item Code	Size L x W x T	Screws per hinge				Effective Door Weight	En1935	Fire	Finish
	Code	(mm)	Туре	Qty	(KG)	Grade	Rated			
	BBH01433SSS	102 x 76 x 3	S/S	8	120	13	YES	SSS		
\	BBH01443SSS	102 x 102 x 3	S/S	8	160	13	YES	SSS		
<	BBH014.543SSS	114 x 102 x 3.4	S/S	8	180	13	YES	SSS		
V	BBHNF01433SSS	102x 76 x 3	S/S	8	120	13	NO	SSS		
				/						



## **Rising Hinge**

CE



Area of application:	For wooden frames, for flush interior doors
Door Weight:	<40kg
Knuckleq:	16MM
Pin q:	10MM
Flange thickness:	3MM
Bearing:	With fixed pin

Item Code	Size (mm)	Door Weight (KG)	Finish
BRH01001SSS	102 x 76 x 2.5	40	SSS

## Falling Hinge

CE



Area of application:	For wooden frames, for flush interior doors
Door Weight:	<40kg
Knuckleq:	16MM
Pin q:	10MM
Flange thickness:	3MM
Bearing:	With fixed pin

Item Code	Size (mm)	Door Weight (KG)	Finish		
BFH01001SSS	102 x 76 x 2.5	40	SSS		



## **Ball Bearing Butt Cranked Hinge**

CE



Area of application:	For wooden or metal frames, for flush wooden or metal interior doors
Door Weight:	<58 kg with 3 door hinges
Knuckleq:	14MM
Flange thickness:	3MM
Bearing:	With fixed pin, knuckle with two ball bearings
Mounting:	For DIN left and DIN right hand use

Item Code	Size L x T (mm)	Door Weight (KG)	Finish	
BBCH01102SSS	102 x 3	58	SSS	

### **Double Action Spring Hinge**



Item Code	Size (mm)	Door Weight (KG)	Finish
DASH0115SSS	102 x 40	15	SSS
DASH0127SSS	127 x 47.5	27	SSS
DASH0155SSS	153 x 51.5	55	SSS



### **Spring Butt Hinge**



	Area of application:	For wooden or metal frames, for flush wooden or steel interior doors		
	Version:	Flange width 40 or 46 mm		
	Door weight:	<60 kg with 3 door hinges		
	Knuckleq:	18 MM		
	Flange thickness:	3.5 mm		
	Adjustment facility:	Spring force can be adjusted and fixed		
	Bearing:	Maintenance-free friction bearing technology		
	Mounting:	For DIN left and DIN right hand use		
	Standard:	In compliance with ANSI A117.1, UL listed		

Item Code	Size L x T x T (mm)	Door Weight (KG)	Finish
SH01001SSS	114 x 114 x 3.4	60	SSS

### 3D Concealed Hinge



Area of application:	For wooden frames, for flush wooden interior doors
Adjustment facility:	Continuously 3D adjustable, side:±1.5 mm, height:±2.5 mm,
Door thickness:	<45 mm
Opening angle:	180°

Item Code	Size (mm)	Door Weight (KG)	Finish
CH06NFR28177SIL	28 X 177	80	SIL
CH06NFR32165SIL	32 X 165	100	SIL
CH06NFR34246SIL	34 X 246	120	SIL



## **Concealed Hinge**



Area of application:	For wooden frames, for flush wooden interior doors
Door Weight:	<45 kg with 2 door hinges
Door thickness:	>25 MM
Opening angle:	<180°

Item Code	Size (mm)	Door Weight (KG)	Finish
CH01001	70 x 16	25	SIL
CH01002	95 x 19	25	SIL
CH01003	117.5 x 25.5	40	SIL
CH01004	140 x 35	40	SIL

# **Locking Devices**






#### **Locking Devices**



# Mortice Cylinder Lockcase




	:											
Area of application:	For re	ebate	d or f	lush c	loors							
Material:	steel, Lock	, case:	Steel	lt and t: Pla:		dbolt:	Stain	less			K	7
Type of locking:	Prepo	ared f	or pro	ofile c	ylinde	er						
Deadbolt:	2-tur	'n		7/1								
Version:	With	With key action										
Forend:	Roun	Round or square										
Level follower:	8 mn	8 mm										
Distance B:	72 m	m										
Mounting:	DIN I	eft ar	1IQ br	۱ righ	t, rev	ersibl	е					
Standard:		fied ir 2209		plian B	ce wit	h						
Class:	3	X	9	1 <sup>b</sup>	0	G	3	В	C	2	0	X

			a.
Item Code	Square Forend	Backset	Finish
MLF01457224	24 mm	45 mm	SSS
MLF01557224	24 mm	55 mm	SSS
MLF01607224	24 mm	60 mm	SSS
MLF01657224	24 mm	65 mm	SSS





# **Mortice Bathroom Lockcase**



Area of application:	For re	ebate	d or f	lush c	loors							
Material:	steel, Lock	Forend, latchbolt and deadbolt: Stainless steel, Lock case: Steel Deadbolt pocket: Plastic										
Deadbolt:	1-tur	1-turn										
Forend:	Round or square							-				
Level follower:	8 mn	8 mm										
Distance B:	78 m	m										
Mounting:	DIN I	eft ar	nd DI	√ righ	t, rev	ersibl	е					
Standard:	Certified in compliance with EN 12209:2003											
Class:	3	Χ	9	1 <sup>b</sup>	0	G	-	В	0	2	0	X


Item Code	Square Forend	Backset	Finish	
MLWCF01457824	24 mm	45 mm	SSS	
MLWCF01557824	24 mm	55 mm	SSS	
MLWCF01607824	24 mm	60 mm	SSS	
MLWCF01657824	24 mm	65 mm	SSS	
	1			





# **Mortice Dead Lockcase**





	Area of application:	For fl	ush d	oors									
	Material:	Lock	Forend and deadbolt: Stainless steel, Lock case: Steel Deadbolt pocket: Plastic							7			
	Type of locking:	Prepo	Prepared for profile cylinder										
	Deadbolt:	2-tur	2-turn										
•	Forend:	Square											
	Standard:	Certified in compliance with EN 12209:2003						×					
>	Class:	3	X	9	<b>1</b> <sup>b</sup>	0	G	3	В	С	0	0	


Item Code	Forend width	Backset	Finish
DLSB015524SSS	24 mm	55 mm	SSS





# Mortise Bathroom Dead Lockcase






Area of application:	For fl	ush d	oors								
Material:	Forer Lock Dead	case:	Steel			nless	steel,	X			
Type of locking:	Prepo	Prepared for profile cylinder									
Deadbolt:	2-tur	2-turn									
Forend:	Squa	Square									
Standard:	Certil EN 1		com:2003		ce wit	h					
Class:	3	X	8	1	0	G	3	В	С	0	0

Item Code	Forend width	Backset	Finish
DLWCSB015524SSS	24 mm	55 mm	SSS





# Mortice Latch Lock case




Area of application:	For fl	ush d	oors								
Material:		Forend, Stainless steel, Lock case: Steel									
Forend:	Squa	Square									
Standard:	Certified in compliance with EN 12209:2003										
Class:	3	X	9	<b>1</b> <sup>b</sup>	0	G	-	В	0	2	0

Item Code	Forend width	Backset	Finish
FLSB015524SSS	24 mm	55 mm	SSS



## Roller Latch Cylinder Lockcase






Area of application:	For narrow frames doors, for interior doors			
Material: Forend: Stainless steel or steel				
Type of locking:	Prepared for profile cylinder			
Version:	With key action			

Item Code	Forend width	Backset	Finish
MRL015524SSS	24 mm	55 mm	SSS

## **Roller Latch Lockcase**






Area of application:	For narrow frames doors, for interior doors
Material:	Forend: Stainless steel or steel
Version:	With key action
\	

Item Code	Forend width mm	Backset mm	Finish
MRL00124	24 mm	55 mm	SSS

www.ajar-me.com



## **Mortise Sliding Door Cylinder Lockcase**




Area of application:	For wooden sliding doors
Material:	Forend and striking plate: Stainless steel, Hook latch: Zinc alloy, Lock case:Steel
Version:	Prepared for profile cylinder

Item Code	Forend width mm	Backset mm	Finish
SLDHL01EURSS24	24 mm	55 mm	SSS

## **Mortise Sliding Door Lockcase for Bathroom**






Area of application:	For wooden sliding doors (forend 20mm)
Material:	Forend and striking plate: Stainless steel or steel, Hook latch: Steel, galvanized, Lock case: Steel, galvanized
Type of locking:	Cipher bit
Version:	With rising hook latch,hook latch not arresting
Forend:	Round

Item Code	Forend width mm	Backset mm	Finish
SLDHL015524SSS	24 mm	55 mm	SSS



# Rollerbolt Cylinder Lockcase






Area of application:	For flush wooden doors
Material:	Stainless steel Lock case: Steel Deadbolt pocket: Plastic
Type of locking:	Prepared for profile cylinder
Version:	Roller latch adjustable from 1-12mm

Item Code	Forend width mm	Backset mm	Finish
MRLD015524SSS	24 mm	55 mm	SSS

# **Roller Nippy Latch**









Area of application:	For wooden double action doors (forend 22 mm)	
Material:	Forend and striking plate: Stainless steel or brass, Roller: Brass, Frame: Steel	
•	5 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Version:	Roller latch adjustable from 2-11mm (C)
Forend:	Sauare

Item Code	Forend width mm	Backset mm	Finish
RI01001	24 mm	55 mm	SSS

# **Euro Profile Cylinders**





**Locking Devices** 

# Euro Profile Double Cylinder with 3 keys



	Item Code	Size	Finish
•	DCYL013030	30/30	SNP
Ċ	DCYL013535	35/35	SNP
	DCYL014040	40/40	SNP
Ċ	DCYL014545	45/45	SNP
	DCYL015050	50/50	SNP
		1	

<sup>\*</sup>Unequal length can be provided on confirmation

# Euro Profile Knob Cylinder with 3 keys



Item Code	Size	Finish
KRCYL013030	30/30	SNP
KRCYL013535	35/35	SNP
KRCYL014040	40/40	SNP
KRCYL014545	45/45	SNP
KRCYL015050	50/50	SNP

www.ajar-me.com

<sup>\*</sup>Master key provision available on all cylinders

<sup>\*</sup>Unequal length can be provided on confirmation

<sup>\*</sup>Master key provision available on all cylinders



# Single Cylinder Euro Profile with 3 keys



Item Code	Size	Finish
 SCYL013510	35/10	SNP
 SCYL014510	45/10	SNP
 SCYL015510	55/10	SNP

## **Euro Profile Privacy Cylinder**



Finish
SNP
SNP
SNP

<sup>\*</sup>Unequal length can be provided on confirmation

<sup>\*</sup>Master key provision available on all cylinders

<sup>\*</sup>Unequal length can be provided on confirmation

<sup>\*</sup>Master key provision available on all cylinders



# WC Thumb Turn and Coin Release with Indicator





Item Code	e Material
WCTR01001	sss sss

# Disabled WC Thumb Turn and Release with Indicator





Item Code	Material
HWCTR01001SSS	SSS

www.ajar-me.com




#### **KEYING SYSTEM**


Cylinders can be supplied with various keying systems i.e.

- Central keying system for properties with common entrances.
- Master keying system.
- Grand master keying system.
- Great grand master keying system.





## **Panic Exit Devices**





#### **Panic Bar**

#### Panic Exit Devices - Panic exit device in compliance with ANSI A 156, grade 1

Area of application:

For rebated or flush, single or double wooden or steel doors

Suitable for:

Fire resistant and smoke control doors

Material:

Stainless steel

Finish:

Satin

Door width:
Door thickness:

840–914 mm 43.9–50.8 mm

Mounting: Standard: For DIN left and DIN right hand use

/

Conforms to ANSI A 156, grade 1/UL listed

F

For fire resistant and smoke control doors.

**Functionality** 

Opening of door from inside: By pushing the panic bar.

Opening of door from outside (optional):By activating the lever handle. Key locks or unlocks lever handle (ANSI cipher bit function).

# Product configuration For Single Doors



Inside: 1 panic bar A

Outside: 1 lever handle on backplate D

I lever nanale on packplate D


1 lever handle on roseE or 1 locking cylinder F

Inside: 1 panic bar with

vertical locking bar B

Outside: 1 lever handle on backplate D

1 lever handle on rose or 1 locking cylinder F



#### For Double Doors


Inside: Active leaf: 1 panic bar A

Inactive leaf: 1 panic bar with

vertical locking bar B and 1 striking plate C

Outside: 1 lever handle on backplate D

1 lever handle on rose E or 1 locking cylinder F




Inside: Active and inactive leaf: 1 panic bar with

vertical locking bar B each

Outside: 1 lever handle on backplate D

1 lever handle on rose E or 1 locking cylinder F





#### **Rim Touch Panic Latch**

0

Iten	n Code	Finish
ТВО	6D005	SIL

#### **Features:**

- Non-handed
- Optional dogging
- Security Anti-thrust latch
- Fire rated to UL 10C
- Supplied in length 1045 mm
   Can be cut on site up to 610 mm to suit door width
- Supplied to suit door thickness 50 mm.
   Optional extended spindle and bolts for thickness 50-105 mm

#### **Rim Touch Panic Bolt**

0

Item Code	Finish
TB06D006	SIL

#### **Features:**

- Non-handed
- Optional dogging
- Fire rated to UL 10C
- Supplied in length 1045 mm.

  Can be cut on site up to 610 mm to suit door width.
- Supplied to suit door thickness 50 mm.
   Optional extended spindle and bolts for thickness 50-105 mm
- To suit door height 2133 mm Optional to suit door height 3200 mm



**Product Code: OT06WOCYLSNP** Outside trim without cylinder.



Satin Stainless Steel



Satin Nickel



Satin Black



**Product Code: OT06CYLSNP** Outside trim with cylinder.



**Satin Stainless Steel** 



Satin Nickel



Satin Black



Satin Brass

# **Door Controls**





**Door Control** 

# **Heavy Duty Floor Spring**



Item Code:FS07DA24SSS

#### **DATA AND FEATURES**

	Variable closing force	Spring Strength (EN)	2 to 4	
	Standard doors	≤850mm ≤70kg ≤950mm ≤105kg ≤1100mm ≤150kg	<b>*</b>	
••	Body dimensions(mm)	Length Width Thick	276 108 40	
7	Arm	Standard Offset arm	0	
_	Cam action	$\setminus \setminus $	<b>√</b>	
	Angle of opening	1 3/4-7	130°	
	Sweep speed adjustable	\	<b>√</b>	
	Latching speed adjustable	$\sim V/$	<b>√</b>	
	Hold open	without hold-open at 90° hold-open at 105° hol-open	0	
	Non-handed	/ ) </td <td>✓</td>	✓	
-	Guarantee/year		5 years	

√ = Yes 
○ = Option



## **D30S Concealed Door Closers** Size 3





Item Code: CDC08D30SSIL

#### DATA AND FEATURES D30S

Certification	UL 228
Spring power	FixedEN3
Durability	100,000 cycles above
Function	Adjustable Closing speed, Adjustable Latching speed
Installation type	Concealed with sliding trackam
Max. Opening	105°
Pressure relief valve	Yes
Mechanism Type	Rack & Pinion
Hand of door	Non handed
Materials of Body	Die-cast Aluminium
Backcheck	NO
Hold open	YES
Action Bearing	Full complement braring for long durability
Application	Suitable for interior wood, glass door and frames
Body Construction	Heat-treated pinion and steel piston
Finish	Silver, Others upon request
Warranty	10 Years



# **D70 Cam Action Concealed Door Closer**



Item Code: CCDC08D70SIL

DATA AND FEATURES	D70
Certification	UL 228
Spring power	2-4
Durability	500,000 cycles above
Function	Adjustable Closing speed, Adjustable Latching speed
Installation type	Concealed with sliding trackam
Max. Opening	135°
Pressure relief valve	Yes
Mechanism Type	Cam Action
Hand of door	Non handed
Materials of Body	Die-cast Aluminium
Backcheck	YES
Hold open	YES
Action Bearing	Full complement braring for long durability
Application	Suitable for interior wood, glass door and frames
Body Construction	Heat-treated pinion and steel piston
Finish	Silver, Others upon request
Warranty	10 Years



# **D503 Surface Mounted Door Closer**





Item Code: SDC08D503SIL

#### DATA AND FEATURES

#### D503

Certification	UL/C-UL Listed,UL 10C 3 hours fire rating	
Spring power	Size 3	
Durability	500,000 cycles above	
Function	Adjustable Closing speed, Adjustable Latching speed	
Installation type	Regular, Top Jamb	
Max. Opening	180°	
Arm Type	Fixed or Detachable	
Mechanism Type	Rack & Pinion	
Hand of door	Non handed	
Materials of Body	Die-cast Aluminium	
Max Door Width	950mm	
Max Door Weight	70Kgs	
Backcheck	NO	
Delayed Action	NO	
Power Adjustment Method	By using different templates	
Fitting Application	Regular, Top, Jamb, Parallel	
Body Construction	Heat-treated pinion and steel piston	
Finish	Silver, Others upon request	
Warranty	10 Years	



# **D733 Heavy Duty Surface Mounted Door Closer**





Item Code: SHD07733SIL

#### **DATA AND FEATURES**

#### D733

Certification	UL/C-UL Listed,UL 10C 3 hours fire rating	
Spring power	Size 3	
Durability	100,000 cycles above	
Function	Adjustable Closing speed, Adjustable Latching speed	
Installation type	Regular, Top Jamb	
Max. Opening	180°	
Arm Type	Detachable	
Mechanism Type	Rack & Pinion	
Hand of door	Non handed	
Materials of Body	Die-cast Aluminium	
Max Door Width	950mm	
Max Door Weight	65Kgs	
Backcheck	YES	
Delayed Action	NO	
Power Adjustment Method	By using different templates	
Fitting Application	Regular, Top, Jamb, Parallel	
Body Construction	Heat-treated pinion and steel piston	
Finish	Silver, Others upon request	
Warranty	10 Years	



# **D2024 Heavy Duty Surface Mounted Door Closer**





Item Code: SDC08D2024SIL

#### DATA AND FEATURES D2024

Certification	CE Marked
Spring power	2-4
Durability	500,000 cycles above
Function	Adjustable Closing speed, Adjustable Latching speed Hold Open Optional, Backcheck Optional
Installation type	Regular, Top Jamb, Parallel
Max. Opening	180°
Arm Type	Detachable
Mechanism Type	Rack & Pinion
Hand of door	Non handed
Materials of Body	Die-cast Aluminium
Max Door Width	1100mm
Max Door Weight	100Kgs
Backcheck	YES
Delayed Action	NO
Power Adjustment Method	By using different templates
Fitting Application	Regular, Top, Jamb, Parallel
Body Construction	Heat-treated pinion and steel piston
Finish	Silver, Others upon request
Warranty	10 Years



# **D3036 Heavy Duty Surface Door Closer**





Item Code: SDC08D3036

	<b>DATA</b>	<b>AND</b>	<b>FEATURES</b>	D3036
--	-------------	------------	-----------------	-------

Certification	CE Marked	
Spring power	3-6	
Durability	500,000 cycles above	
Function	Adjustable Closing speed, Adjustable Latching speed Backcheck Optional, Delay Action Optional	
Installation type	Regular, Top Jamb, Parallel	
Max. Opening	180°	
Arm Type	Detachable	
Mechanism Type	Rack & Pinion	
Hand of door	Non handed	
Materials of Body	Die-cast Aluminium	
Max Door Width	1500mm	
Max Door Weight	150Kgs	
Backcheck	YES	
Application	Suitable for interior wood, hollow metal, and aluminium doors and frames	
Product Description	Efficient cam and roller design	
Fitting Application	Regular, Top, Jamb, Parallel	
Body Construction	Heat-treated pinion and steel piston	
Finish	Silver, Others upon request	
Warranty	10 Years	



# **D4016BC Heavy Duty Surface Mounted Door Closer**





Item Code: SDC08D4016SIL

DATA AND FEATURES	D4016
Certification	CE Marked
Spring power	3-6
Durability	500,000 cycles above
Valves	Adjustable latching and sweep speed valves Adjustable backcheck valve - Standard Delayed action valve - Optiona
Material	Aluminum Alloy The recommended temperatures for prolonged closer use is between 40°F (-42°C) and 150°F (66°C)
Cover	Full plastic cover - Standard
Spring	Double heat treated steel, tempered springs Precision machined, heat treated steel piston
Arms & Brackets	Tri-Pack - Regular, parallel arm, and top jamb mount - Standard 15% power adjustment in standard arm for
Optional Arms	Regular and top jamb mount
Hand of door	Non handed
Fasteners	Self-reaming, self-tapping wood and machine screwsSex nuts and bolts
Max Door Weight	150Kgs
Door Thickness	1-3/4"(44 mm)1-3/8" -2-1/4" (36 mm - 57 mm) - Optional
Application	Suitable for interior wood, hollow metal, and aluminium doors and frames
Finish	Silver, Others upon request
Warranty	10 Years



# **D8016 Heavy Duty Surface Mounted Door Closer**





Item Code: SDC08D8016SIL

DATA AND FEATURES	D4016	
Certification	UL 10C	
Spring power	1-6	
Durability	2 Million life cycle	
Function	Adjustable Closing speed, Adjustable Latching speed Backcheck Optional, Delay Action Optional	
Installation type	Regular, Top Jamb, Parallel	
Max. Opening	180°	
Arm Type	Detachable	
Mechanism Type	Rack & Pinion	
Hand of door	Non handed	
Materials of Body	Die-cast Aluminium	
Max Door Width	1500mm	
Max Door Weight	150Kgs	
Backcheck	YES	
Application	Suitable for interior wood, hollow metal, and aluminium doors and frames	
Product Description	Efficient cam and roller design	
Fitting Application	Regular, Top, Jamb, Parallel	
Body Construction	Heat-treated pinion and steel piston	
Finish	Silver, Others upon request	
Warranty	10 Years	

# Accessories





#### Stops and Holders

## **Dome Shape Floor Mounted Door Stop**



Item Code	Finish
DS 01115	SSS

#### Floor Mounted Door Stop



Item Code	Finish
DS 01004	SSS

#### Floor Mounted Door Stop



Item Code	Finish
DS 0113	SSS

#### Floor Mounted Door Stop



Item Code	Finish	
DS 0114	SSS	

#### Floor Mounted Door Stop



Item Code	Finish	
DS 01001	SSS	



#### Floor Mounted Door Stop



Item Code	Finish
DS 01008	SSS

## **Magnetic Door Stop**



Item Code	Finish
MS06001	SSS

## **Wall Mounted Door Stop**



Finish
SSS


## **Door Stopper with Coat Hook**



Item Code	Finish
WS01006	SSS



## Door Stop with Guide Rail




	Installation
24	
,,	-20 -

Item Code	Finish
CDR06200	SSS

	Area of application:	For single action doors, for interior and external doors
	Material:	Housing: Aluminium, arm: Steel
	Finish	Housing: Silver coloured, arm: Silver coloured
	Opening angle:	45-110
	Door thickness:	30-50 mm
	Mounting:	For DIN left hand and DIN right hand use
	Installation:	Running track for screw fixing to door leaf, arm mounting plate for screw fixing to door frame

## **Concealed Door Stop**



Item Code	Finish	
CDR06201	SSS	


Area of application:	For wood, aluminium or plastic
Material:	Aluminium, Steel
Finish:	Silver coloured
Opening angle:	Up to 125
Installation:	Easy installation



## **Fully Automatic Flush bolt**

For wooden doors





Item Code	Finish
AFBW12001	SSS

Packing: 1 pair

Area of application:	Automatic locking and release	
MateriaTravell:	12.7 mm	
Height:	Housing 206.5 mm	
Width:	Housing 26.7 mm	
Widiii.	1100sing 20.7 min	

#### Note:


A dust excluding socket with a bolt aperture of 19 mm can be used as alternative to the floor striking plate.



#### **Lever Action Flush Bolt**

With folding lever, concealed






Item Code	Finish
FBM01001	Chrome Plated
FBM01001	Polished

Packing: 1 pair

Area of application:	For wooden ar metal doors
Dim. A:	19.1 mm
Dim. B:	305 mm
Width:	26 mm

#### **Lever Action Flush Bolt**

With folding lever, concealed



Item Code	Finish
FBW01001	Satin
FBW01002	Polished


Packing: 1 pair

Area of application:	For wooden doors
Dim. A:	25 mm
Width	19 mm



# **Dust Excluding Socket**






Item Code	Finish
DSKT01001	SSS


Area of application:	For flush boltas alternative to striking plat prevents dirt setting in the bolt aperture	
Material:	Stainless steel	
Version:	Bolt aperture from q 9-20 mm	





Item Code	Finish
DSKT01002	SSS
Area of application:	For flush boltas alternative to striking plate, prevents dirt setting in the bolt aperture
Material:	Stainless steel
Version:	Bolt aperture from q. 19 mm, spring force suits semi automatic/ fully automatic flush bolts





Item Code	Finish	
DSKTWP01002	SSS	

Area of application:	For flush boltas alternative to striking plate, prevents dirt setting in the bolt aperture
Material:	Stainless steel
Version:	Bolt aperture from q. 19 mm, spring force suits semi automatic/ fully automatic flush bolts



## **Security Door Guard**



Item Code	Finish
DG01SUR	SNP

## **Concealed Door Chain**



Item Code	Finish
DG01C01	SNP

#### **Door Chain**

Item Code	Finish
DG01CHN	SNP

#### **Door Chain with Leather Cover**




Item Code	Finish	
DG01CHNL	SNP	



## **Door Viewer**





Item Code	Finish
 DV0120075SNP	SNP
200° vision	



#### **Push Plates**



Width:	100 mm
Height:	300 mm
Thickness:	1.5 mm
Installation:	For screw fixing

Fixing material (screws) supplies

"PUSH" symbol "PULL" symbol with pull handle

PUSH

PULL

SSS


SSS

RPP10101

RPH10101

#### **Signages**

Finish:	Satin Stainless Steel
Diameter:	75 mm
Thickness:	1 mm





# **Notes**

CERTIFIED BY \_



#### **Office Address**

Aswaaq Warehouse #13, Industrial Area 5, Al Qusais. Dubai - U.A.E Tel. Number - +971 4 229 4540

Email - sales@ajar-me.com

